

---

**Table of Contents**

---

	Page
1.0 Introduction.....	1
2.0 Study Objectives.....	1
3.0 Study Implementation.....	1
3.1 Study Elements Completed .....	2
3.2 Deviations from the REC 4 – TSP .....	3
3.3 Outstanding Study Elements .....	5
3.4 Proposed Modifications to the REC 4 – TSP .....	6
4.0 Extent of Study Area.....	6
5.0 Study Approach.....	6
5.1 General Stream-based Recreation Opportunities .....	6
5.1.1 PCWA Recreation Visitor Surveys .....	7
5.2 Hydrologic Information .....	8
5.2.1 Flow Travel Time.....	9
5.3 Trail Use at Stream/River Crossings.....	10
5.3.1 Western States and Tevis Cup Routes and Crossings .....	10
5.3.2 Structured Group Interviews (Focus Group Session).....	11
5.3.3 Published Stream Crossing Information.....	12
General Information Pertaining to Stream/River Crossing .....	13
Pedestrian Stream Crossing .....	13
Equestrian Crossing.....	14
5.3.4 Stream Crossing Flow Studies.....	14
Determining Suitable Stream Crossing Flows.....	15
Analyzing Stream Crossing Opportunities.....	16
Accounting for Flow Travel Time.....	17
5.4 Whitewater Boating.....	17
5.4.1 Whitewater Boating Opportunities.....	17
Whitewater Boating Counts.....	18
5.4.2 Structured Group Interviews (Focus Group Session).....	19
Follow-up Consultation with Whitewater Boaters .....	20
5.4.3 Whitewater Boating Opportunities on the Bypass Reaches .....	21
Whitewater Boating Opportunities Analysis .....	21
5.4.4 Whitewater Boating Flow Studies in the Peaking Reach.....	22
Identification of Study Participants .....	22
Development of a Whitewater Boating Survey Instrument.....	23
Study Logistics .....	23

---

	Photo-documentation .....	24
	Data Analysis .....	25
	Boating Opportunities Analysis .....	25
5.5	Angling .....	25
5.5.1	Structured Group Interviews (Focus Group Session).....	26
5.5.2	Angling Flow Studies.....	26
	Bypass Reaches .....	27
	Peaking Reach.....	27
5.6	Mining .....	28
5.6.1	Mining Locations in the Bypass and Peaking Reaches.....	28
5.6.2	Existing Mining Claims .....	28
	Unpatented Claims.....	28
	Patented Claims.....	28
5.7	Flow Information Dissemination.....	29
5.7.1	Existing Stream Gaging Stations.....	29
5.7.2	Existing Flow Information Sources .....	29
5.7.3	Flow Information Enhancement Opportunities .....	30
5.8	Public Safety .....	30
5.8.1	Signs Warning of Potential Flow Fluctuations .....	30
5.8.2	Potential Safety Concerns.....	30
6.0	Study Results .....	31
6.1	Hydrologic Information .....	31
6.1.1	Bypass Reaches .....	31
	Large River Bypass Reaches.....	31
	Small Stream Bypass Reaches.....	32
6.1.2	Peaking Reach.....	33
	Summer/Fall Season.....	33
	Winter/Spring Season .....	34
	Flow Timing Versus Location in the Peaking Reach .....	34
	Shape of Peaking Flow Curve.....	34
6.2	Stream-Based Recreation on the Bypass and Peaking Reaches .....	35
6.2.1	Bypass Reaches .....	36
6.2.2	Peaking Reach.....	40
	Indian Bar Rafter Access .....	41
	Ruck-a-Chucky.....	43
	Mammoth Bar.....	45
	Confluence Area .....	48
	Birdsall Access/Oregon Bar .....	50

	Flow Perception Summary .....	52
6.3	Trail Use at Stream Crossings .....	53
6.3.1	Bypass Reaches .....	53
6.3.2	Peaking Reach.....	54
	Western States Trail.....	55
	Roanoke Trail (Fords Bar Crossing).....	56
	Drivers Flat Road (Ruck-a-Chucky Crossing) .....	58
	American Canyon Trail (Poverty Bar Crossing).....	62
	Quarry Road Trail (Mammoth Bar Crossing).....	66
	Auburn to Cool Trail (Coffer Dam Crossing) .....	68
6.4	Whitewater Boating.....	72
6.4.1	Bypass Reaches .....	72
	Rubicon River – RM 25 to Ellicott Bridge .....	74
	Rubicon River – Rubicon River – Ellicott Bridge to Ralston Afterbay .....	76
	Middle Fork American River – French Meadow Dam to Middle Fork Interbay .....	81
	Middle Fork American River – Middle Fork Interbay Dam to Ralston Afterbay.....	83
	Long Canyon Creek – Confluence of North and South Forks of Long Canyon Creek to Confluence of Rubicon River.....	86
	Duncan Creek – Duncan Creek Diversion Dam to Middle Fork American River Confluence .....	87
	North Fork Long Canyon Creek – North Fork Long Canyon Diversion Dam to the Confluence of Long Canyon Creek.....	89
	South Fork Long Canyon Creek – South Fork Long Canyon Creek Diversion Dam to the Confluence of Long Canyon Creek.....	90
6.4.2	Peaking Reach.....	91
	Tunnel Chute Run .....	92
	Mammoth Bar Run.....	99
	Murderer’s Bar Run.....	102
	Confluence Run .....	105
6.5	Angling.....	109
6.5.1	Bypass Reaches .....	110
	Middle Fork American River – French Meadows Dam to Middle Fork Interbay .....	111
	Rubicon River – Hell Hole Dam to Ellicott Bridge.....	111
	Rubicon River – Ellicott Bridge to Ralston Afterbay .....	111
	Duncan Creek – Duncan Creek Diversion Dam to Middle Fork American River Confluence .....	112

	North and South Fork Long Canyon Creeks and Long Canyon Creek .....	112
6.5.2	Peaking Reach.....	113
	Popular Fishing Areas and Access Points .....	113
	Flow-Related Effects on Fishability .....	114
6.6	Mining .....	116
6.6.1	Bypass Reaches .....	116
	Mining Observations on the Bypass Reaches.....	117
	Existing Mining Claims on the Bypass Reaches .....	118
6.6.2	Peaking Reach.....	118
	Mining Observations in the Peaking Reach .....	119
	Existing Mining Claims along the Peaking Reach .....	119
6.7	Flow Information Dissemination.....	120
6.7.1	Existing Stream Gaging Stations.....	120
6.7.2	Existing Flow Information Sources .....	121
6.7.3	Flow Information Enhancement Opportunities .....	122
	REC 2 – Recreation Visitor Surveys .....	122
	Focus Group and Follow-up Conversations .....	122
6.8	Public Safety .....	123
6.8.1	Signs Warning of Potential Flow Fluctuations .....	123
	Other Safety Devices .....	124
6.8.2	Potential Safety Concerns.....	124
	Bypass Reaches .....	124
	Peaking Reach.....	125
7.0	Literature Cited .....	127

### **List of Tables**

- Table REC 4-1. Bypass and Peaking Reaches Associated with the Middle Fork American River Project.
- Table REC 4-2. Crosswalk Showing Where Material Associated with Specific Study Elements can be Found in the REC 4 – Stream-based Opportunities Technical Study Report.
- Table REC 4-3. Summary of Information Developed through Trail User/Stream Crossing Focus Group.
- Table REC 4-4. Pedestrian Stream Crossing Criteria based on Existing Literature and Focus Group Comments.
- Table REC 4-5. Equestrian Stream Crossing Criteria based on Existing Literature and Focus Group Comments.
- Table REC 4-6. Measured and Estimated Flows during Trail Crossing Studies.
- Table REC 4-7. Summary of Information Developed at Whitewater Boating Focus Group Meeting (April 3, 2008) and Provided by Foothill Water Network (February 9, 2009).
- Table REC 4-8. Information regarding Bypass Reaches in the Vicinity of the MFP Developed through Follow-up Conversations with Whitewater Boaters after the April 23, 2008 Whitewater Boating Focus Group Meeting (Raw Notes).
- Table REC 4-9. Whitewater Boating Flow Study Dates and Target Flows by Run.
- Table REC 4-10. Whitewater Boating Flow Study Team Members.
- Table REC 4-11. Whitewater Boating Flow Study Photo-Documentation Locations.
- Table REC 4-12. Whitewater Boating Opportunity Days Analysis Criteria – Peaking Reach.
- Table REC 4-13. Summary of Information Developed through Angler Focus Group.
- Table REC 4-14. Distances Between Points in Peaking Reach and Associated Water Travel Times.
- Table REC 4-15. Flow Arrival Time by Location.
- Table REC 4-16a. Average Number of Hours per Day (7:00 AM – 7:00 PM) that River Crossing was Possible at Trail Crossings in the Middle Fork American River – Impaired Conditions.
- Table REC 4-16b. Average Number of Hours per Day (7:00 AM – 7:00 PM) that River Crossing was Possible at Trail Crossings in the Middle Fork American River – Unimpaired Conditions.
- Table REC 4-17. Distances and Gradients associated with the MFP Bypass Reaches.
- Table REC 4-18. Distances and Gradients associated with the MFP Peaking Reach and Runs.
- Table REC 4-19. Whitewater Boating Opportunities by Year and Water Year Type – Bypass Reaches – Rubicon River: RM 25 – Ellicott Bridge.

- Table REC 4-20. Whitewater Boating Opportunities by Year and Water Year Type – Bypass Reaches – Rubicon River: Ellicott Bridge – Ralston Afterbay.
- Table REC 4-21. Whitewater Boating Opportunities by Year and Water Year Type – Bypass Reaches – Middle Fork American River: French Meadows Dam – Middle Fork Interbay.
- Table REC 4-22. Whitewater Boating Opportunities by Year and Water Year Type – Bypass Reaches – Middle Fork American River: Middle Fork Interbay – Ralston Afterbay.
- Table REC 4-23. Whitewater Boating Opportunities by Year and Water Year Type – Bypass Reaches – Long Canyon Creek.
- Table REC 4-24. Whitewater Boating Opportunities by Year and Water Year Type – Peaking Reach – Tunnel Chute Run (Indian Bar Rafter Access to Ruck-a-Chucky).
- Table REC 4-25. Whitewater Boating Opportunities by Year and Water Year Type – Peaking Reach – Mammoth Bar Run (Ruck-a-Chucky to Mammoth Bar).
- Table REC 4-26. Whitewater Boating Opportunities by Year and Water Year Type – Peaking Reach – Murderer's Bar Run (Mammoth Bar to Confluence).
- Table REC 4-27. Whitewater Boating Opportunities by Year and Water Year Type – Peaking Reach – Confluence Run (Confluence to Oregon Bar).
- Table REC 4-28. Average Hours per Day (7:00 AM – 7:00 PM) that Ramping Occurred in the Peaking Reach when Flows were less than 2,000 cfs.
- Table REC 4-29. Sections Containing Mining Claims along the Bypass Reaches.
- Table REC 4-30. Sections Containing Mining Claims along the Peaking Reach.
- Table REC 4-31. Streamflow Gages and Locations.
- Table REC 4-32. Common Sources of River and Stream Flow Information Available to the Public.
- Table REC 4-33. Inventory of Flow Fluctuation Warning Signs along Project Bypass and Peaking Reaches and Access Points (as of March, 2009).

**List of Figures**

- Figure REC 4-1. REC 4 – Stream-based Opportunities, Study Objectives, and Related Study Elements.
- Figure REC 4-2. Base Flow/Travel Velocity Relationship.
- Figure REC 4-3. Water Travel Time during Up-ramp and Down-ramp.
- Figure REC 4-4. Wading/Crossing Suitability Relationship.
- Figure REC 4-5. Example of Project Modification of Flows in the Large River Bypass Reaches of the Middle Fork American and Rubicon Rivers.
- Figure REC 4-6. Example of Project Modification of Flows in the Small Stream Bypass Reaches (Duncan Creek and North and South Fork Long Canyon Creeks).
- Figure REC 4-7. Example of Project Modification of Flows in the Peaking Reach (Mean Daily Flows).
- Figure REC 4-8. Idealized Examples of Releases from Oxbow Powerhouse During Wet, Above Normal, Below Normal, Dry, and Critically Dry Years.
- Figure REC 4-9. Shape of Flow Release Curves in Peaking Reach by Location.
- Figure REC 4-10. Percent of Survey Respondents at Sites in ASRA who Experienced a Change in Flow and were Negatively Affected by the Change.
- Figure REC 4-11. Trail Crossing Opportunities in Peaking Reach Under Impaired and Unimpaired Conditions (Annual Average) – Critically Dry Water Years.
- Figure REC 4-12. Trail Crossing Opportunities in Peaking Reach Under Impaired and Unimpaired Conditions (Annual Average) – Dry Water Years.
- Figure REC 4-13. Trail Crossing Opportunities in Peaking Reach Under Impaired and Unimpaired Conditions (Annual Average) – Below Normal Water Years.
- Figure REC 4-14. Trail Crossing Opportunities in Peaking Reach Under Impaired and Unimpaired Conditions (Annual Average) – Above Normal Water Years.
- Figure REC 4-15. Trail Crossing Opportunities in Peaking Reach Under Impaired and Unimpaired Conditions (Annual Average) – Wet Water Years.
- Figure REC 4-16. Whitewater Boating Opportunities on the Rubicon River Below Ellicott Bridge under Impaired and Unimpaired Conditions – Critically Dry Water Years.
- Figure REC 4-17. Whitewater Boating Opportunities on the Rubicon River Below Ellicott Bridge under Impaired and Unimpaired Conditions – Dry Water Years.
- Figure REC 4-18. Whitewater Boating Opportunities on the Rubicon River Below Ellicott Bridge under Impaired and Unimpaired Conditions – Below Normal Water Years.

- Figure REC 4-19. Whitewater Boating Opportunities on the Rubicon River Below Ellicott Bridge under Impaired and Unimpaired Conditions – Above Normal Water Years.
- Figure REC 4-20. Whitewater Boating Opportunities on the Rubicon River Below Ellicott Bridge under Impaired and Unimpaired Conditions – Wet Water Years.
- Figure REC 4-21. Whitewater Boating Opportunities on the Middle Fork American River Below Duncan Creek under Impaired and Unimpaired Conditions – Below Normal Water Years.
- Figure REC 4-22. Average Number of Days and Hours that Ramping Occurred in the Peaking Reach.

**List of Maps**

- Map REC 4-1. Popular Trails and Stream Crossing Locations in the Middle Fork American River Watershed (2 sheets).
- Map REC 4-2. Whitewater Boating Runs in the Peaking Reach.
- Map REC 4-3. Whitewater Flow Study Photo Documentation Locations – Tunnel Chute Run.
- Map REC 4-4. Whitewater Flow Study Photo Documentation Locations – Mammoth Bar Run.
- Map REC 4-5. Whitewater Flow Study Photo Documentation Locations – Confluence Run.
- Map REC 4-6. Dispersed Concentrated Use Areas on the Bypass Reaches Identified by Stakeholders.
- Map REC 4-7. Recreation Areas, Roads, and Trails in the Auburn State Recreation Area.
- Map REC 4-8. Whitewater Boating Access Points on the Bypass Reaches.
- Map REC 4-9. Popular Fishing Areas and Access Points – Bypass Reaches.
- Map REC 4-10. Popular Fishing Areas and Access Points – Peaking Reach.
- Map REC 4-11. Mining Claims along Bypass and Peaking Reaches.
- Map REC 4-12. Gaging Station Locations in the Vicinity of the Middle Fork American River Project.

**List of Appendices**

- Appendix A. Recreation Visitor Survey Instrument.
- Appendix B. Trail User/Stream Crossing Focus Group Materials.
- Appendix C. Photographs of Trail Crossing Locations at Different Flows.
- Appendix D. Modeled Stage/Discharge Relationships at Select Stream Crossing Locations.
- Appendix E. 2007 Private Whitewater Boating Use – PCWA Counts.
- Appendix F. Whitewater Boating Focus Group Materials.
- Appendix G. Whitewater Boating Flow Study Materials Invitation to Participate In Boating Studies, Related Correspondence, and Blank Forms.
- Appendix H. Whitewater Boating Flow Study Completed Boater Profiles.
- Appendix I. Whitewater Boating Flow Study Example Blank Boater Evaluation Form and Completed Boater Evaluation Forms.
- Appendix J. Angler Focus Group Materials.
- Appendix K. Impaired And Unimpaired Flows By Reach Large River Bypass Reaches (Wet, Above Normal, Below Normal, Dry, and Critically Dry Water Years).
- Appendix L. Impaired and Unimpaired Flows By Reach Small Stream Bypass Reaches (Wet, Above Normal, Below Normal, Dry, And Critically Dry Water Years).
- Appendix M. Peaking Reach Impaired and Unimpaired Flows (Wet, Above Normal, Below Normal, Dry, And Critically Dry Water Years).
- Appendix N. Peaking Reach Flow Fluctuation Characterization at Middle Fork American River Gage Below Oxbow Powerhouse (USGS Gage No. 11433300) (Wet, Above Normal, Below Normal, Dry, And Critically Dry Water Years).
- Appendix O. REC 2 – Recreation Visitor Survey Results Relevant To Stream-Based Recreation.
- Appendix P. Wading/Crossing Suitability Plots For Select Stream Crossing Locations.
- Appendix Q. Whitewater Boating Flow Study Results and Supporting Information for Boatable Flow Ranges.

**List of DVDs (Available Upon Request)**

- DVD 1 of 3. Whitewater Flow Study – Peaking Reach – Video Documentation.
- DVD 2 of 3. Whitewater Flow Study – Peaking Reach – Post-Run Discussions.
- DVD 3 of 3. Whitewater Flow Study – Peaking Reach – Post-Run Discussions.