

APPENDIX C1b
Wetted Perimeter Time Series Analysis

TABLE OF CONTENTS

List of Figures**Small Streams – Summer/Fall**

- Figure B1 – 1A. D6.3 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 1B. D6.3 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 1C. NFLC1.9 Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 1D. SFLC2.3 Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 1E. LC9.0 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 1F. LC9.0 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Small Streams – Winter

- Figure B1 – 2A. D6.3 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 2B. D6.3 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 2C. NFLC1.9 Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 2D. SFLC2.3 Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 2E. LC9.0 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 2F. LC9.0 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Small Streams – Spring

- Figure B1 – 3A. D6.3 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 3B. D6.3 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 3C. NFLC1.9 Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 3D. SFCL2.3 Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 3E. LC9.0 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B1 – 3F. LC9.0 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Middle Fork American River – Summer/Fall

- Figure B2 – 1A. MF44.7 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 1B. MF44.7 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 1C. MF36.2 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 1D. MF36.2 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 1E. MF26.2 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 1F. MF26.2 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Middle Fork American River – Winter

- Figure B2 – 2A. MF44.7 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 2B. MF44.7 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 2C. MF36.2 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 2D. MF36.2 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 2E. MF26.2 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 2F. MF26.2 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Middle Fork American River – Spring

- Figure B2 – 3A. MF44.7 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 3B. MF44.7 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 3C. MF36.2 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 3D. MF36.2 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 3E. MF26.2 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B2 – 3F. MF26.2 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Rubicon River – Summer/Fall

- Figure B3 – 1A. R25.7 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 1B. R25.7 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 1C. R20.9 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 1D. R20.9 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 1E. R3.5 Top Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 1F. R3.5 Bottom Summer Through Fall (June–October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Rubicon River – Winter

- Figure B3 – 2A. R25.7 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 2B. R25.7 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 2C. R20.9 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 2D. R20.9 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 2E. R3.5 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 2F. R3.5 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Rubicon River – Spring

- Figure B3 – 3A. R25.7 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 3B. R25.7 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 3C. R20.9 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 3D. R20.9 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 3E. R3.5 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).
- Figure B3 – 3F. R3.5 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

Small Streams – Summer/Fall

Figure B1 - 1A. D6.3 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 1B. D6.3 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 1C. NFLC1.9 Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 1D. SFLC2.3 Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 1E. LC9.0 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B1 - 1F. LC9.0 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Small Streams – Winter

Figure B1 - 2A. D6.3 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 2B. D6.3 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 2C. NFLC1.9 Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 2D. SFLC2.3 Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 2E. LC9.0 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B1 - 2F. LC9.0 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Small Streams – Spring

Figure B1 - 3A. D6.3 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 3B. D6.3 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 3C. NFLC1.9 Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 3D. SFLC2.3 Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B1 - 3E. LC9.0 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B1 - 3F. LC9.0 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Middle Fork American River – Summer/Fall

Figure B2 - 1A. MF44.7 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 1B. MF44.7 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 1C. MF36.2 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 1D. MF 36.2 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 1E. MF26.2 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B2 - 1F. MF26.2 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Middle Fork American River – Winter

Figure B2 - 2A. MF44.7 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 2B. MF44.7 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 2C. MF36.2 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 2D. MF 36.2 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 2E. MF26.2 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B2 - 2F. MF26.2 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Middle Fork American River – Spring

Figure B2 - 3A. MF44.7 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 3B. MF44.7 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 3C. MF36.2 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 3D. MF 36.2 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B2 - 3E. MF26.2 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B2 - 3F. MF26.2 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Rubicon River – Summer/Fall

Figure B3 - 1A. R25.7 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 1B. R25.7 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 1C. R20.9 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 1D. R20.9 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 1E. R3.5 Top Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B3 - 1F. R3.5 Bottom Summer Through Fall (June - October) Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Rubicon River – Winter

Figure B3 - 2A. R25.7 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 2B. R25.7 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 2C. R20.9 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 2D. R20.9 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 2E. R3.5 Top Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).





Figure B3 - 2F. R3.5 Bottom Winter Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).



Rubicon River – Spring

Figure B3 - 3A. R25.7 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 3B. R25.7 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 3C. R20.9 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 3D. R20.9 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 3E. R3.5 Top Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).




Figure B3 - 3F. R3.5 Bottom Spring Wetted Perimeter for All Water Years and each Water Year Type Separately (Wet, Above Normal, Below Normal, Dry, Critical).

